



OHMI-SLC

Site Level Controller

Options

Antenna Kit

- 1) AK – FS150
Free Standing Antenna at 150mm length with a magnetic base and a suction cup attachment. Complete with SMA male fly-lead.
 - 2) AK – DF250
Direct fix to case Antenna at 250mm length with rotational positioning.
 - 3) AK – PM200
Panel Mount Antenna at 200mm length suitable to securely fix to a cabinet or panel.
-


Overview

The OneHMI Site Level Controller is a sub-platform of the OneHMI cloud platform merging a customer's site / facility into the cloud in order to provide all the feature's & functions of the OneHMI system.

The controller provides a secure end to end connection for users from any device anywhere to various site / facility control systems.

For further information on the various specific sub-systems that can be integrated via the controller and all the functionality provided by OneHMI cloud based system please refer to relevant feature documentation or a product representative.

Connections




Product Specifications

Electrical	
Power Source	12VDC, 6-12W variant upon CPU demand
Power Supply Connection	<ul style="list-style-type: none"> Unit supplied with AC socket power adapter to barrel connector (Intended for computer rack installation) Unit supplied with a fly lead tinned soldered bare end for terminal strip connection (Intended for Cabinet / Panel Installation)

Environmental	
Ambient Operating Temp.	0 to 50°C
Ambient Storage Temp.	-10 to 70°C
Humidity	0% to 95% RH non condensing
Ingress Protection	IP40
Hardware	
Enclosure	Anodized Aluminium
Mounting	DIN rail (35mm) mounted
Weight	Approx. 500g
Dimension	W 168mm x L 157mm x D 26.5mm
Approvals	CE Approvals, RoHS Compliant

Dimension



OneHMI Legal Disclaimer

Please refer to Licence agreement on OneHMI website at <https://onehmi.com>